
Topological Methods in Nonlinear Analysis
DOI: 10.12775/TMNA.2019.081

© 2020 Juliusz Schauder Centre for Nonlinear Studies
Nicolaus Copernicus University in Toruń

THE SIGN-CHANGING SOLUTIONS FOR A CLASS OF NONLOCAL ELLIPTIC PROBLEM IN AN ANNULUS

BAOQIANG YAN — CHAO AN

ABSTRACT. In this paper, using the fixed point index method, we present a result on the existence of sign-changing solutions for a class of nonlocal elliptic problem in an annulus.

1. Introduction

In this paper, we consider the following nonlocal elliptic problem

$$(1.1) \quad \begin{cases} -a \left(\int_{\Omega} |u(x)|^{\gamma} dx \right) \Delta u = f(u) & \text{for } x \text{ in } \Omega, \\ u(x) = 0 & \text{for } x \text{ on } \partial\Omega, \end{cases}$$

where $\Omega = \{x \in R^N \mid 0 < r_1 < |x| < r_2\}$ ($N \geq 3$) is an annulus, $\gamma \in (0, +\infty)$, $a \in C([0, +\infty), (0, +\infty))$ and $f \in C((-\infty, +\infty), (-\infty, +\infty))$.

2010 *Mathematics Subject Classification.* 35J60, 35J75, 47H10.

Key words and phrases. Nonlocal elliptic equations; fixed point index; sign-changing solutions.

This work is supported by the National Natural Science Foundation of China(61603226) and the Fund of Natural Science of Shandong Province (ZR2018MA022).